

MULBERRY DISEASE FOREWARNING







For

Eastern and North Eastern India

Spray Schedule



Mulberry Pathology Laboratory
Central Sericultural Research and Training Institute
Central Silk Board
(Ministry of Textiles: Govt. of India)
BERHAMPORE –742101, Murshidabad (W. Bengal)


<i>PMLD</i>	<i>Powdery mildew</i>	
<i>PLS</i>	<i>Pseudocercospora leaf spot</i>	
<i>LR</i>	<i>Leaf rust</i>	
<i>YLR</i>	<i>Yellow Leaf rust</i>	
<i>BLS</i>	<i>Bacterial leaf spot</i>	
<i>MLS</i>	<i>Myrothecium leaf spot</i>	

**Central Sericultural Research & Training Institute
Berhampore (West Bengal)**

**MULBERRY DISEASE FOREWARNING
MURSHIDABAD (W.B.)**

MONTH	JAN				FEB				MAR				APR				MAY				JUN				JUL				AUG				SEP				OCT				NOV				DEC							
Week	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4				
Pruning																																																				
PMLD																																																				
BLS #																																																				
MLS																																																				
PLS #																																																				
LR																																																				
Sp.Schd																																																				

denotes above ETL.

 Carbendazim 0.1% @ 180 litre / acre (safe period 5 - 7 days).

 Plantomycin 0.01% + carbendazin 0.1% (safe period 15 days).

Spray Schedule may change +/- one week as per brushing of DFSL and safe period

**Central Sericultural Research & Training Institute
Berhampore (West Bengal)**

**MULBERRY DISEASE FOREWARNING
MALDA (W.B.)**

MONTH	JAN				FEB				MAR				APR				MAY				JUN				JUL				AUG				SEP				OCT				NOV				DEC			
Week	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4				
Pruning																																																
PMLD	█																																				█											
BLS																																																
MLS #																																																
PLS																																																
LR																																																
Sp.Schd																																																

denotes above ETL.

Carbendazim 0.1% @ 180 litre / acre (safe period 5 - 7 days).

Plantomycin 0.01% @ 180 litre / acre (safe period 15 days).



Spray Schedule may change +/- one week as per brushing of DFSL and safe period

**Central Sericultural Research & Training Institute
Berhampore (West Bengal)**

**MULBERRY DISEASE FOREWARNING
BIRBHUM (W.B.)**

MONTH	JAN				FEB				MAR				APR				MAY				JUN				JUL				AUG				SEP				OCT				NOV				DEC							
Week	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4				
Pruning																																																				
BLS #																																																				
MLS																																																				
PLS																																																				
Sp.Schd																																																				

denotes above ETL.

-  Carbendazim 0.1% @ 180 litre / acre (safe period 5 - 7 days).
-  Plantomycin 0.01% @ 180 litre / acre (safe period 15 days).


Spray Schedule may change +/- one week as per brushing of DFSL and safe period

**Central Sericultural Research & Training Institute
Berhampore (West Bengal)**

**MULBERRY DISEASE FOREWARNING
KALIMPONG (W.B.)**

MONTH	JAN				FEB				MAR				APR				MAY				JUN				JUL				AUG				SEP				OCT				NOV				DEC											
Week	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4								
Pruning																																																								
PMLD																																																								
LR #																																																								
YLR #																																																								
Sp.Schd																																																								

denotes above ETL.

 Carbendazim 0.1% @ 180 litre / acre (safe period 5 - 7 days).



Spray Schedule may change +/- one week as per brushing of DFSLs and safe period

**Central Sericultural Research & Training Institute
Berhampore (West Bengal)**

**MULBERRY DISEASE FOREWARNING
KORAPUT (ODISHA)**

MONTH	JAN				FEB				MAR				APR				MAY				JUN				JUL				AUG				SEP				OCT				NOV				DEC											
Week	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4								
Pruning																																																								
PMLD																																																								
MLS																																																								
LR #																																																								
Sp.Schd																																																								

denotes above ETL.

-  Carbendazim 0.1% @ 180 litre / acre (safe period 5 - 7 days).
-  Mancozeb 0.2% @ 180 litre / acre (safe period 7 - 10 days).



Spray Schedule may change +/- one week as per brushing of DFSL and safe period

**Central Sericultural Research & Training Institute
Berhampore (West Bengal)**

**MULBERRY DISEASE FOREWARNING
AIZAWL (MIZORAM)**

MONTH	JAN				FEB				MAR				APR				MAY				JUN				JUL				AUG				SEP				OCT				NOV				DEC											
Week	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4								
Pruning																																																								
PMLD																																																								
MLS																																																								
LR																																																								
Sp.Schd																																																								

No disease is above ETL.

-  Carbendazim 0.1% @ 180 litre / acre (safe period 5 – 7 days).
-  Mancozeb 0.2% @ 180 litre / acre (safe period 7 - 10 days).



Spray Schedule may change +/- one week as per brushing of DFSLs and safe period

**Central Sericultural Research & Training Institute
Berhampore (West Bengal)**

**MULBERRY DISEASE FOREWARNING
MAHESHPUR RAJ (JHARKHAND)**

MONTH	JAN				FEB				MAR				APR				MAY				JUN				JUL				AUG				SEP				OCT				NOV				DEC							
Week	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4				
Pruning																																																				
PMLD																																																				
BLS																																																				
PLS																																																				
Sp.Schd																																																				

No disease is above ETL.

-  Carbendazim 0.1% @ 180 litre / acre (safe period 5 – 7 days).
-  Plantomycin 0.01% @ 180 litre / acre (safe period 15 days).



Spray Schedule may change +/- one week as per brushing of DFSLs and safe period

**Central Sericultural Research & Training Institute
Berhampore (West Bengal)**

**MULBERRY DISEASE FOREWARNING
DIMAPUR (NAGALAND)**

MONTH	JAN				FEB				MAR				APR				MAY				JUN				JUL				AUG				SEP				OCT				NOV				DEC											
Week	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4								
Pruning																																																								
PMLD#																																																								
MLS #																																																								
LR #																																																								
Sp.Schd																																																								

denotes above ETL.

-  Carbendazim 0.1% @ 180 litre / acre (safe period 5 – 7 days).
-  Mancozeb 0.2% @ 180 litre / acre (safe period 7 - 10 days).

Spray Schedule may change +/- one week as per brushing of DFSL and safe period

Central Sericultural Research & Training Institute Berhampore (West Bengal)

MULBERRY DISEASE FOREWARNING IMPHAL (MANIPUR)

MONTH	JAN				FEB				MAR				APR				MAY				JUN				JUL				AUG				SEP				OCT				NOV				DEC											
Week	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4								
Pruning																																																								
MLS																																																								
LR																																																								
Sp.Schd																																																								

No disease is above ETL.

- Carbendazim 0.1% @ 180 litre / acre (safe period 5 – 7 days).
- Mancozeb 0.2% @ 180 litre / acre (safe period 7 - 10 days).


Spray Schedule may change +/- one week as per brushing of DFSLs and safe period

**Central Sericultural Research & Training Institute
Berhampore (West Bengal)**

**MULBERRY DISEASE FOREWARNING
AGARTALA (TRIPURA)**

MONTH	JAN				FEB				MAR				APR				MAY				JUN				JUL				AUG				SEP				OCT				NOV				DEC											
Week	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4								
Pruning																																																								
PMLD#																																	█				█				█															
MLS																	█				█												█				█																			
PLS																	█																																							
Sp.Schd																																																								

denotes above ETL.

 Carbendazim 0.1% @ 180 litre / acre (safe period 5 – 7 days).

Spray Schedule may change +/- one week as per brushing of DFSL and safe period

